Elecdura

AFTERMARKET THERMAL MANAGEMENT

AC CONDENSER

GLOBAL PRODUCT CATALOG

2026

A focused wholesale reference for OE cross-reference review, application coverage and specification-based matching.

- PASSENGER
- TRUCK
- AGRICULTURAL
- CONSTRUCTION
- UNIVERSAL



PRECISION MATCHING / GLOBAL SOURCING

www.elecduraparts.com

Representative selection. Final fitment verification required before ordering.

RANGE OVERVIEW

Broad application coverage, compact file size

56 representative models selected from a source database of 1,600+ reference records.

28
PASSENGER VEHICLE
Asian, European and American applications

12
TRUCK & COMMERCIAL
Heavy-duty and commercial applications

8
AG / CONSTRUCTION
Tractor, loader, excavator and equipment range

8
UNIVERSAL
Core-size based configurations

Selected brand coverage

01	ASIA	Toyota, Honda, Nissan, Hyundai, Kia, Mazda, Mitsubishi, Subaru, Suzuki, Lexus, Infiniti, Acura
02	EUROPE	Mercedes-Benz, BMW, Volkswagen, Audi, Volvo, Peugeot, Renault, Fiat, Opel, MINI
03	AMERICAS	Ford, Chevrolet, Dodge, Jeep, Cadillac, Buick
04	TRUCK	IVECO, Scania, SINOTRUK, Kenworth, DAF, MAN, International, Peterbilt, Freightliner, Volvo, Mack, KAMAZ
05	EQUIPMENT	John Deere, Massey Ferguson, Case / Puma, Caterpillar, Doosan, Komatsu

CATALOG MAP

04	Passenger - Asia
07	Passenger - Europe
10	Passenger - Americas
12	Truck & Commercial
15	Agricultural
16	Construction Equipment
17	Universal

SPECIFICATION-BASED MATCHING

How to select the correct condenser

1 START WITH OE

Send the OE or cross-reference number from the original condenser or parts list.

2 CONFIRM APPLICATION

Add vehicle or equipment brand, model, year, engine, cab or regional configuration.

3 COMPARE THE HARD POINTS

Check core width, height and thickness, mounting points, ports, pipes and receiver-drier layout.


4 REVIEW BEFORE ORDER

Confirm the selected drawing, label, quantity, packaging and destination market.

SEND THESE DETAILS FOR A FASTER REVIEW

- OE number or replacement reference
- Vehicle / equipment brand, model and year
- Core width, height and thickness
- Mounting bracket and connection photos
- Receiver-drier position or inclusion
- Required quantity, packaging and destination


MOQ, samples, lead time and packaging are confirmed by model and quantity.



Check dimensions, bracket geometry, ports and drier layout together.

PASSENGER VEHICLE

Asian applications



TOYOTA


SKU AC182

2000-2004 Tundra V6/V8 Factory-Instl Exc.Double Cab

OE / CROSS REF

884600C020

Core 710*342 mm | Thickness 16 mm



HONDA


SKU AC191

1996-2000 Civic Usa/Jpn/Can All Mdls Ex.Delsol

OE / CROSS REF

801100S01A01 / 801100S01A11 / 801100S04003

Core 358*371 mm | Thickness 16 mm



NISSAN


SKU AC236

1998-2001 Frontier 2000-2001 Xterra

OE / CROSS REF

921103S501

Core 707*330 mm | Thickness 20 mm



HYUNDAI

SKU AC1169

Hyundai Veloster / Kia Soul, 2019-2021


OE / CROSS REF

97606J3290

Core 584*300 mm | Thickness 16 mm

PASSENGER VEHICLE

Asian applications



KIA


SKU AC1196

Kia Sorento / Hyundai Santa Fe, 2021-2022

OE / CROSS REF

97606-P2000

Core 508*425 mm | Thickness 16 mm



MAZDA


SKU AC675

Mazda 3 / Mazda 6, 2014-2015

OE / CROSS REF

GHR161480 / GHR161480A / GHR161480B

Core 663*380 mm | Thickness 12 mm



MITSUBISHI


SKU AC301

2002-2007 Outlander

OE / CROSS REF

MR958462

Core 520*542 mm | Thickness 16 mm



SUBARU

SKU AC1080

Subaru B9 Tribeca / Tribeca, 2006-2012


OE / CROSS REF

73210XA00A

Core 667*450 mm | Thickness 16 mm | Drier included

PASSENGER VEHICLE

Asian applications



SUZUKI


SKU AC519

1999-2003 Vitara 1999-2002 Grand Vitara

OE / CROSS REF

9531065D11

Core 503*361 mm | Thickness 16 mm



LEXUS


SKU AC979

Lexus RC / GS series, 2013-2018

OE / CROSS REF

8846030B80

Core 652*422 mm | Thickness 12 mm



INFINITI


SKU AC977

Infiniti QX50 / QX70 / EX / FX series

OE / CROSS REF

921101BA0A

Core 652*422 mm | Thickness 16 mm



ACURA

SKU AC404

2005-2008 RI


OE / CROSS REF

80110SJA003

Core 684*392 mm | Thickness 16 mm

PASSENGER VEHICLE

European applications



MERCEDES-BENZ


SKU AC055

Mercedes-Benz CLK series, 1996-2003

OE / CROSS REF

2028300-870 / 570

Core 572*411 mm | Thickness 16 mm



BMW


SKU AC1075

BMW 3 Series F30 / F31 / F35 / F80

OE / CROSS REF

64506804721 / 64509288942

Core 617*350 mm | Thickness 16 mm



VOLKSWAGEN


SKU AC731

Volkswagen Golf / Arteon / Jetta, 2015-2024

OE / CROSS REF

5Q0816411AB / 5Q0816411AP / 5Q0816411AR

Core 554*390 mm | Thickness 16 mm



AUDI

SKU AC1027

Audi A4 / S4 / Q5, 2009-2016


OE / CROSS REF

8K0260403AB / 8K0260403AF / 8K0260403E

Core 650*346 mm | Thickness 16 mm

PASSENGER VEHICLE

European applications



VOLVO


SKU AC516

Volvo S80 / V70 / XC60 and selected Land Rover

OE / CROSS REF

30794544 / 1710241 / 30680275

Core 602*472 mm | Thickness 16 mm



PEUGEOT


SKU AC1210

Peugeot 307, 2003-2012

OE / CROSS REF

6455GK / 6455CY / 9650545980

Core 550*360 mm | Thickness 16 mm



RENAULT


SKU AC1109

Renault Megane II, 2003-2008

OE / CROSS REF

8200115543 / 8671017589 / 300496

Core 620*401 mm | Thickness 16 mm



FIAT

SKU AC1178

Fiat 124 Spider, 2017-2020


OE / CROSS REF

68332589AA

Core 484*412 mm | Thickness 12 mm

PASSENGER VEHICLE

European applications



OPEL


SKU AC1232

Opel Zafira B / Astra H, 2005-2006

OE / CROSS REF

13171592 / 13300339 / 6850237

Core 507*332 mm | Thickness 16 mm



MINI

SKU AC1224

MINI Countryman, 2017-2019

OE / CROSS REF

64539271207 / 9271207 / 940686

Core 631*307 mm | Thickness 16 mm

BEYOND THE REPRESENTATIVE SELECTION

More application references are available


Additional references are available for Citroen, Jaguar, Land Rover, Porsche, Seat, Skoda, Vauxhall and other European applications.

FOR MATCHING, SEND

- OE / cross reference
- Vehicle application
- Core and port details
- Quantity + destination

PASSENGER VEHICLE

American applications



FORD


SKU AC1060

Ford Taurus / Lincoln MKS, 2010-2017

OE / CROSS REF

BA5Z19712A

Core 673*428 mm | Thickness 16 mm



CHEVROLET


SKU AC220

Chevrolet / GMC Tahoe, Yukon, Silverado, Sierra

OE / CROSS REF

25967386 / 52475996 / 10358953

Core 888*441 mm | Thickness 16 mm



DODGE


SKU AC486

Dodge Caliber / Avenger / Journey, 2007+

OE / CROSS REF

K68004296AA / K5191277AA / 5191277AA

Core 653*422 mm | Thickness 16 mm



JEEP

SKU AC670

Jeep Grand Cherokee / Dodge Durango, 2011-2015


OE / CROSS REF

55038003AE / 55038003AF

Core 668*520 mm | Thickness 16 mm

PASSENGER VEHICLE

American applications



CADILLAC


SKU AC418

Cadillac XLR / Chevrolet Corvette, 2003-2008

OE / CROSS REF

10442892

Core 584*402 mm | Thickness 16 mm



BUICK

SKU AC868

Buick Enclave / Chevrolet Traverse, 2018+

OE / CROSS REF

84212781 / 84397526 / 84725047

Core 783*641 mm | Thickness 16 mm

BEYOND THE REPRESENTATIVE SELECTION

More application references are available


Additional references are available for Chrysler, GMC, Lincoln, Pontiac, RAM, Saturn and other American applications.

FOR MATCHING, SEND

- OE / cross reference
- Vehicle application
- Core and port details
- Quantity + destination

TRUCK & COMMERCIAL

Heavy-duty and commercial vehicle applications



IVECO


SKU AC874

IVECO Daily, 2007+

OE / CROSS REF

5801255825

Core 585*363.6 mm | Thickness 16 mm | Drier included



SCANIA


SKU AC1107

Scania P / R / T series, 2004+

OE / CROSS REF

1790840 / 1446258 / 1782207

Core 742*390 mm | Thickness 16 mm



SINOTRUK


SKU AC424

SINOTRUK SITRAK C7H / HOWO

OE / CROSS REF

WG1630820053

Core 585*364 mm | Thickness 20 mm



KENWORTH

SKU AC1294

Kenworth C500 / T170 / T200 and Peterbilt


OE / CROSS REF

2433657 / N4778001 / 2433681

Core 865*511 mm | Thickness 16 mm

TRUCK & COMMERCIAL

Heavy-duty and commercial vehicle applications



DAF


SKU AC1259

DAF XF 106 / XG / XG+

OE / CROSS REF

2015914 / 1813198

Core 871*351 mm | Thickness 16 mm | Drier included



MAN


SKU AC549

MAN TGX, 2006-2021

OE / CROSS REF

81619200018 / 81.61920.0030

Core 770*352 mm | Thickness 16 mm



INTERNATIONAL


SKU AC1404

International 4200 / 4300 / 4400 / 8500

OE / CROSS REF

2505650C92 / 2586812C91 / 1E4897

Core 525*612 mm | Thickness 16 mm



PETERBILT

SKU AC1407

Peterbilt 357 / 375 / 377 / 378 / 379 / 385


OE / CROSS REF

1803809 / 1804015 / 1804016

Core 718*702 mm | Thickness 16 mm

TRUCK & COMMERCIAL

Heavy-duty and commercial vehicle applications



FREIGHTLINER


SKU AC1405

Freightliner Century / Columbia, 1997-2001

OE / CROSS REF

9240608

Thickness 16 mm



VOLVO TRUCK


SKU AC1103

Volvo Truck application

OE / CROSS REF

16232085 / 10-043

Core 618*422 mm | Thickness 26 mm



MACK


SKU AC1395

Mack CH / CV / Granite / Vision, 2001-2007

OE / CROSS REF

210RD428

Core 731*520 mm | Thickness 20 mm



KAMAZ

SKU AC1257

KAMAZ K-744 tractor series


OE / CROSS REF

0203063010 / 0203063020 / 0203063000

Core 625*364 mm | Thickness 18 mm

AGRICULTURAL

Tractor and farm-equipment applications



JOHN DEERE


SKU AC1245

John Deere 5090M tractor

OE / CROSS REF

Confirm by drawing and application

Core 472*456 mm | Thickness 26 mm



JOHN DEERE


SKU AC1244

John Deere 6M / 6R tractor series

OE / CROSS REF

Confirm by drawing and application

Core 465*492 mm | Thickness 26 mm



MASSEY FERGUSON


SKU AC1278

Massey Ferguson 3300VSF / 3600 series

OE / CROSS REF

CH-40059 / 1025492 / 90008625

Core 463*381 mm | Thickness 26 mm



CASE / PUMA

SKU AC1243

Case / Puma tractor application


OE / CROSS REF

87641371 / 8429270

Core 410*540 mm | Thickness 20 mm

CONSTRUCTION EQUIPMENT

Excavator, loader and heavy-equipment applications



CATERPILLAR


SKU AC1246

Caterpillar 950 wheel loader

OE / CROSS REF

Confirm by drawing and application

Core 1034*311 mm | Thickness 26 mm



CATERPILLAR


SKU AC1293

Caterpillar 312GC / 320GC / 323GC / 336GC

OE / CROSS REF

029218

Core 546*369 mm | Thickness 16 mm



DOOSAN


SKU AC1086

Doosan equipment application

OE / CROSS REF

520-00004

Core 600*400 mm | Thickness 20 mm



KOMATSU

SKU AC1420

Komatsu excavator, 2019


OE / CROSS REF

56E0721132 / 56E0721133

Core 568*341 mm | Thickness 26 mm

UNIVERSAL

Core-size based condenser range



UNIVERSAL


SKU AC391

Universal condenser core - 440*660 mm

SIZE

440*660*18

Core 440*660 mm | Thickness 18 mm



UNIVERSAL


SKU AC382

Universal condenser core - 390*352 mm

SIZE

390*352*16

Core 390*352 mm | Thickness 16 mm



UNIVERSAL


SKU AC367

Universal condenser core - 538*202 mm

SIZE

538*202*26

Core 538*202 mm | Thickness 26 mm



UNIVERSAL

SKU AC366

Universal condenser core - 551*302 mm


SIZE

551*302*26

Core 551*302 mm | Thickness 26 mm

UNIVERSAL

Core-size based condenser range



UNIVERSAL


SKU AC365

Universal condenser core - 328*482 mm

SIZE

328*482*26

Core 328*482 mm | Thickness 26 mm



UNIVERSAL


SKU AC364

Universal condenser core - 575*342 mm

SIZE

575*342*18

Core 575*342 mm | Thickness 18 mm



UNIVERSAL


SKU AC344

Universal condenser core - 1078*592 mm

SIZE

1078*592*26

Core 1078*592 mm | Thickness 26 mm



UNIVERSAL

SKU AC343

Universal condenser core - 772*402 mm

SIZE

772*402*26

Core 772*402 mm | Thickness 26 mm

WHOLESALE MATCHING & SOURCING

READY TO MATCH YOUR OE LIST?

Send the information below for product matching and quotation review.

- OE or replacement references
- Vehicle / equipment application details
- Core dimensions, port layout and photos
- Required quantity and destination market
- Packaging or private-label requirements

Browse the wholesale range

www.elecduraparts.com

/wholesale-ac-condenser.html

Fitment notice

Application names and images are selection references. Confirm OE, core size, mounting points, connection layout and receiver-drier configuration before ordering.